

SUPPORT THAT'S PERSONALIZED TO WHAT YOU NEED, WHEN YOU NEED IT

Now that you're enrolled:



SCAN OR TAP THE QR CODE or call 1-844-ONCREON (1-844-662-7366).

Expect a call within 1 business day from a dedicated Ambassador* who will get to know your story.

Your personal Ambassador will:



Take the time to listen to you and answer your questions



Provide tools you can use to track your symptoms and progress



Look for ways to help you save on your treatment

If you have commercial insurance, scan or tap the QR code at the top to learn about:

- Paying as little as \$5[†] for your 30- or 90-day prescription
- Having multivitamins delivered to your door at no cost to you.[†]
 You can order 1 multivitamin/mineral supplement every 30 days

Check your inbox over the next week for emails from CREON Complete to help you get started.

Please see Use and Important Safety Information on page 2, and full Prescribing Information, including Medication Guide, at www.rxabbvie.com/pdf/creon_Pl.pdf, and discuss with your doctor.

^{*}Ambassadors are provided by AbbVie and do not work under the direction of your healthcare professional (HCP) or give medical advice. They are trained to direct patients to their HCP for treatment-related advice, including further referrals.

^{*}Eligibility: Available to patients with commercial prescription insurance coverage for CREON® (pancrelipase) who meet eligibility criteria. Neither co-pay assistance nor multivitamins/nutritional supplements are available to patients receiving prescription reimbursement under any federal, state, or government-funded insurance programs (for example, Medicare [including Part D], Medicare Advantage, Medigap, Medicaid, TRICARE, Department of Defense, or Veterans Affairs programs) or where prohibited by law. Offers subject to change or discontinuance without notice. Restrictions, including monthly maximums, may apply. This is not health insurance. For full Terms and Conditions, visit cREONSavingsCard.com or call 1-844-662-7366) for additional information. To learn more about AbbVie's privacy practices and your privacy choices, visit https://abbv.ie/corpprivacy.





USE

CREON® (pancrelipase) is a prescription medicine used to treat people who cannot digest food normally because their pancreas does not make enough enzymes.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about CREON?

CREON may increase your chance of having a rare bowel disorder called fibrosing colonopathy. The risk of having this condition may be reduced by following the dosing instructions that your healthcare professional (HCP) gave you. **Call your HCP right away if you have any <u>unusual or severe</u>:** stomach area (abdominal) pain, bloating, trouble passing stool, nausea, vomiting, or diarrhea.

What should I tell my HCP before taking CREON?

Before taking CREON, tell your HCP about all the medicines you take and all your medical conditions, including if you are allergic to pork (pig) products; have a history of intestinal blockage or scarring or thickening of your bowel wall (fibrosing colonopathy), gout, kidney disease, or high blood uric acid (hyperuricemia); or are pregnant, plan to become pregnant, are breastfeeding, or plan to breastfeed.

How should I take CREON?

Take CREON exactly as your HCP tells you. Always take CREON with a meal or snack and enough liquid to swallow CREON completely. **Do not crush or chew the CREON capsule or its contents, as this may cause irritation in your mouth** or change the way CREON works in your body. Talk to your HCP or consult the CREON Medication Guide for how to take CREON if you have trouble swallowing capsules.

What are the possible side effects of CREON?

CREON may cause additional serious side effects, including:

- Increase in blood uric acid levels (hyperuricemia), including pain, stiffness, redness or swelling of your joints.
- · Allergic reactions, including trouble with breathing, skin rashes, swollen lips, or itching.

Call your HCP right away if you have any of these symptoms.

The most common side effects of CREON include blood sugar increase (hyperglycemia) or decrease (hypoglycemia), pain in your stomach, frequent or abnormal bowel movements, gas, vomiting, dizziness, sore throat, and cough.

CREON and other pancreatic enzyme products are made from the pancreas of pigs, the same pigs people eat as pork. These pigs may carry viruses. Although it has never been reported, it may be possible for a person to get a viral infection from taking pancreatic enzyme products that come from pigs.

These are not all the possible side effects of CREON. For more information, ask your HCP or pharmacist.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

If you are having difficulty paying for your medicine, AbbVie may be able to help. Visit AbbVie.com/PatientAccessSupport to learn more.

Please see full Prescribing Information, including Medication Guide, at www.rxabbvie.com/pdf/creon_Pl.pdf, and discuss with your doctor.







Enrollment Form

Once completed, please print out and fax this form to CREON Complete at 1-866-573-0750

Questions? Contact CREON Complete at 1-844-ONCREON (1-844-662-7366)

All fields marked with an asterisk (*) are required. The HCP and the patient or legally authorized person should fill out this form completely before leaving the office.

Patient's Information (to be completed by prescriber)				
First Name*		Last Name*		Date of Birth* // (mm/dd/yyyy)
Gender M	F Address*City*			
Phone* Home	Home Mobile Email Address*Int		erpreter required? Yes No	
Texting Consent: I consent to receive automated and recurring text messages from AbbVie, including service updates, medication reminders, and marketing messages, to the above mobile number. Message and data rates may apply. My consent is not a condition of receiving goods or services. I can reply HELP for help. I can text STOP to unsubscribe any time. View Privacy Notice and Mobile T&C at https://abbv.ie/corpprivacy and https://abbv.ie/USMobileTerms.				
Caregiver fields are required for patients under 18 years old.				
Caregiver Name	Name Relationship to Patient			
Caregiver Phone*	Home Mobile	Email Address*	Inte	rpreter required? Yes No
When did you start taking CREON?*				
Not yet sta	rted 0-3 months	ago 4-6 months	ago 7-12 months ago	Over 12 months ago
Marketing Consent: I consent to the collection, use, and disclosure of my health-related personal data to receive communications from AbbVie regarding its products, programs, services, clinical trials, research opportunities and for online targeted advertising, as further described in the "How We May Use Personal Data," "How We May Disclose Personal Data," and "Cookies and similar tracking and data collection technologies" sections of our Privacy Notice. My consent is required to process sensitive personal data under certain privacy laws, and I have the right to withdraw my consent by visiting "Your Privacy Choices" on AbbVie's website. Privacy Notice: For information on how we collect and process your personal data, including the categories we collect, purposes for their collection, and disclosures to third parties, visit https://abbv.ie/PrivacyPatient .				
Consent to process my sensitive personal information: Through my submission of the CREON Complete Enrollment Form, I consent to the collection, use, and disclosure of my personal health data, as described in the Privacy Notice above and in AbbVie's Privacy Notice in the "How We May Disclose Personal Data" section. My consent is required to process sensitive personal data under certain privacy laws, and I have the right to withdraw my consent by visiting "Your Privacy Choices" on AbbVie's website.				
Insurance Information (to establish eligibility for CREON Complete)				
Insurance Typ	e* Private/commerc	ial insurance Medica	re Medicaid Governm	nent program Not insured
Prescriber I	nformation			
Prescriber First Nar	First Name* Prescriber Last Name*		NPI#	
Address*		City*		State* ZIP*
Office Contact Nam	ne	Office Phone	Email	Fax
Diagnosis* Exocrine Pancreatic Insufficiency (EPI)				
Have they had one of the following diagnoses or procedures?*				
Chronic	c pancreatitis	Pancreatectomy /Pancreatic Surgery	Pancreatic Cancer	Other
Important Info	ormation	, and and any		

By submitting this form, you are referring the above patient to AbbVie's patient support program to determine eligibility and receive support related to an AbbVie product. Please share this information with your patient.

Privacy Notice for Prescriber: For information on how we collect and process your personal data, including the categories we collect, purposes for your collection, and disclosures to third parties, visit https://abbv.ie/PrivacyHCP.



Indication and Important Safety Information

Indication¹

CREON® (pancrelipase) delayed-release capsules are indicated for the treatment of exocrine pancreatic insufficiency in adult and pediatric patients.

Important Safety Information¹

- Fibrosing colonopathy has been reported following treatment with pancreatic enzyme products. Do not exceed the recommended dosage of 2,500 lipase units/kg/meal (or 10,000 lipase units/kg/day) or 4,000 lipase units/g fat ingested/day in adult and pediatric patients greater than 12 months of age without further investigation.
- To avoid irritation of oral mucosa, care should be taken to ensure that CREON is not crushed, chewed, or retained in the mouth. CREON should always be taken with food.
- Pancreatic enzyme products contain purines that may increase blood uric acid levels. High dosages have been associated with hyperuricosuria and hyperuricemia. Consider monitoring blood uric acid levels in patients with gout, renal impairment, or hyperuricemia during treatment with CREON.
- There is theoretical risk of viral transmission with all pancreatic enzyme products, including CREON.
- Severe hypersensitivity reactions including anaphylaxis, asthma, hives, and pruritus have been reported with pancreatic enzyme products. Monitor patients with a known hypersensitivity reaction to proteins of porcine origin for hypersensitivity reactions during treatment with CREON.
- Adverse reactions that occurred in at least 2 cystic fibrosis patients (greater than or equal to 4%) receiving CREON were vomiting, dizziness, and cough.
- Adverse reactions that occurred in at least 1 chronic pancreatitis or pancreatectomy patient (greater than or equal to 4%) receiving CREON were hyperglycemia, hypoglycemia, abdominal pain, abnormal feces, flatulence, frequent bowel movements, and nasopharyngitis.

Reference: 1. CREON [package insert]. North Chicago, IL: AbbVie Inc.

Please see full Prescribing Information.

